



magswitch®

AT EVERY STEP OF THE WAY

Mag-Utility Hook 25

P/N: 8100012

Tool Features


The Magswitch Mag-Utility Hook is the perfect “helping hand.” Magswitch Mag-Utility Hooks let you hang tools, lights, support wires, air hoses, ground lines and more, right where you need them, quickly and easily. Ideal for keeping hoses and lines off the floor for a safer work environment. Mag-Utility Hooks are convenient and easily move from job to job.



WARNING!
DO NOT OPERATE UNLESS IN
CONTACT WITH FERROUS TARGET

Specifications

Maximum Breakaway Force *	102 lbs	46.6 kg				
Maximum Shear	20 lbs	9 kg				
Net Weight	0.4 lbs	0.2 kg				
Overall Height	89 mm					
Magnetic Pole Footprint	40mm Diameter					
Material Thickness - mm (in)	0.5 (0.02)	1 (0.04)	2 (0.08)	3 (0.12)	4 (0.16)	5 (0.20)
Max Breakaway - kg (lbs)	5.1 (11.24)	17.0 (37.55)	33.9 (74.81)	46.5 (102.5)	46.6 (102.7)	46.6 (102.8)



* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.



Magswitch Technologies | 1000 S. McCaslin Blvd.
Suite 301 | Superior | Colorado 80027
+1 (303) 468.0662 | sales@magswitch.com

MSA Magnetics | 4 Prince of Wales Ave
Unanderra NSW | 2526 | +61 2 4272 8180
sales@msamagnetics.com.au

MAG-UTILITY HOOK 25
8100012


Doc Num 01

Subject to technical and color changes. No liability for errors and
misprints assumed. © Magswitch Technologies 2024

Mag-Utility Hook 25

P/N: 8100012

Drawings



Magswitch Technologies | 1000 S. McCaslin Blvd.
Suite 301 | Superior | Colorado 80027
+1 (303) 468.0662 | sales@magswitch.com

MSA Magnetics | 4 Prince of Wales Ave
Unanderra NSW | 2526 | +61 2 4272 8180
sales@msamagnetics.com.au