



# magswitch®

AT EVERY STEP OF THE WAY

## MLAY1000x2

P/N: 8100484

### Tool Features


Magswitch MLAY series magnets utilize different size magnets to attain different field depths. This allows for greater working loads and increased control over larger work pieces. The MLAY1000x2 is a lightweight heavy lifting magnet ideal for lifting thick sheet, beams, pipe, and performs well on air gaps such as rust and dirt. It features a unique single swivel hook design for lifting from horizontal to vertical. With customizable pole shoes to fit almost any application, the MLAY is a great all around tool that is perfect for picking pipe and round as well as large plate steel.



**WARNING!**  
DO NOT OPERATE UNLESS IN  
CONTACT WITH FERROUS TARGET

### Specifications

<b>Max Breakaway *</b>	2000 lbs	907 kg
<b>Safe Working Load *</b>	667 lbs	303 kg
<b>Full Saturation Thickness</b>	1/2"	12.7mm
<b>Max Safe Shear *</b>	125.4 lbs	57 kg
<b>Minimum Thickness for De-Stack</b>	0.8"	19.1mm
<b>Net Weight</b>	23.8 lbs	10.8 kg
<b>Mounting Thread</b>	M8x1.25	
<b>Overall Height</b>	269.5 mm	
<b>Magnetic Pole Footprint</b>	177.5x96.0 mm	



\* Max Breakaway determined in laboratory environment on 2" thick SAE1018 Steel with surface roughness 63 micro inches. Many factors contribute to the actual breakaway force in each application. Always test the magswitch in each application before deployment. Refer to the magswitch information booklet for more information.



Magswitch Technologies | 1000 S. McCaslin Blvd.  
Suite 301 | Superior | Colorado 80027  
+1 (303) 468.0662 | sales@magswitch.com

MSA Magnetics | 4 Prince of Wales Ave  
Unanderra NSW | 2526 | +61 2 4272 8180  
sales@msamagnetics.com.au

**MLAY1000x2**  
**8100484**


Doc Num 01

Subject to technical and color changes. No liability for errors and  
misprints assumed. © Magswitch Technologies 2024

# MLAY1000x2

P/N: 8100484

## Drawings



**MLAY1000x2**  
8100484

Doc Num 01

Magswitch Technologies | 1000 S. McCaslin Blvd.  
Suite 301 | Superior | Colorado 80027  
+1 (303) 468.0662 | sales@magswitch.com


**MSA MAGNETICS**  
YOUR SOURCE FOR FORCE

MSA Magnetics | 4 Prince of Wales Ave  
Unanderra NSW | 2526 | +61 2 4272 8180  
sales@msamagnetics.com.au


Subject to technical and color changes. No liability for errors and  
misprints assumed. © Magswitch Technologies 2024



## MLAY1000x2

P/N: 8100484

### ***Safe Working Load***



Magswitch Technologies | 1000 S. McCaslin Blvd.  
Suite 301 | Superior | Colorado 80027  
+1 (303) 468.0662 | sales@magswitch.com

MSA Magnetics | 4 Prince of Wales Ave  
Unanderra NSW | 2526 | +61 2 4272 8180  
sales@msamagnetics.com.au

**MLAY1000x2**  
**8100484**

Doc Num 01

Subject to technical and color changes. No liability for errors and  
misprints assumed. © Magswitch Technologies 2024